



PRECISION PRO SPRAYERS

S P R A Y W I T H P R E C I S I O N

User Instruction and Safety Precautions:

The Precision Pro Sprayer is a great tool to use for applying RMR Brands. It is very important to follow these instructions and safety precautions listed, when using this sprayer RMR Brands and other similar related products.

Specifications of Sprayer

- Poly trigger gun: 15" Poly trigger spray gun 3/8" barb inlet connection 100 psi max
- Standard demand pump with 4-foot Power cord: 1.4 GPM open flow, Viton® valves, Santoprene® diaphragm, 60 PSI Demand Switch, and 3/8" NPT-Female ports
- Hose: 3/8" inside diameter and 75' length clear vinyl hose with reinforced spiraled polyester yarn
- 2 Amp inline fuse inside the switch box. Replace when needed. 4-foot solution intake line, with a 18" black poly main intake for placement into a jug.

Warning: There is a risk of electric shock if the grounding plug is improperly installed.

This product is designed to spray hazardous chemicals that can cause serious personal injury if it comes into contact with the user or others or if inhaled/ingested. Failure to follow operating instructions or misuse of the product can result in serious physical injuries.

“RMR SOLUTIONS, LLC ASSUMES NO LIABILITY FOR THE SPRAYERS USAGE AS THEY HAVE NO CONTROL OF THE OPERATORS AND PRODUCTS BEING USED.”

THE USAGE OF THIS PRODUCT IS THE SOLE RESPONSIBILITY OF THE OPERATOR.

OPERATION INFORMATION:

- Use on a stable surface
- After drawing the solution from the other container, the pump forces the solution to the spray wand under pressure
- The pump will shut off once it reaches 60 PSI (pressure switch on the pump)
- By opening or closing the valve on the wand, flow can be regulated. Flow will increase as the trigger is squeezed.
- The wand sprayer tip is adjustable and can be changed to spray as a jet or as a mist. · The suction supply line should be checked regularly and flushed with water to clear any accumulated debris or RMR-Neutralizer Instant Chlorine Odor Eliminator to prevent corrosion.

MAINTENANCE AND DEPRESSURIZATION:

- Always depressurize the sprayer before maintenance by activating shut-off and spraying contents out. · If allowed to soak untreated for a long period of time, some chemicals can damage the pump valves – be sure to always flush the pump lines with clear water after use. – Be sure to follow chemical manufacturers instructions on the disposal of the waste water from the sprayer.
- For longer lasting parts and pumps, when flushing the pump lines use RMR-Neutralizer Instant Chlorine Odor Eliminator to prevent chemicals from corroding sprayer and pump.
- Remember to keep the inside of your bucket sprayer clean and dry (NEVER put any liquids in the sprayer itself)
- Winterization: pump a solution of RV antifreeze through the entire plumbing of the sprayer.

WARNING – HAZARDOUS INFORMATION

GENERAL:

- Can cause severe injury or property damage
- Be sure to read all instructions and safety precautions for equipment and spray material before operating the equipment.
- The sprayer is operated with liquid under pressure – FAILURE to observe caution and to follow instructions for operating and cleaning can cause the pump, hose, and other parts to be weakened and possibly rupture under pressure. Which can result in serious injury and/or possible death from high pressure discharge of liquid(s) or forcible ejection of parts.
- KEEP the sprayer and all equipment out of the reach of CHILDREN at all times
- Always wear protective gear: appropriate gloves, eye protection, respirator or mask when spraying, and protective clothing!
- NEVER operate the unit while fatigued or under the influence of drugs or alcohol

INJECTION INJURY:

- A high pressure stream of product produced by this equipment can pierce the skin and underlying tissues, leading to SERIOUS INJURY! – this is not a simple injury – SEE A PHYSICIAN IMMEDIATELY! · Toxicity can be a concern with some products injected.
- NEVER aim the gun at/or spray any person or animal.
- NEVER put any body part in contact with fluid stream or in front of the sprayer
- ALWAYS wear safety gear: gloves, eye protection, proper clothing, and respirator · ALWAYS unplug the spray gun and depressurize sprayer before servicing it, cleaning it, or leaving unattended.

FIRE or EXPLOSION:

- Solvent and fumes can ignite or explode, causing severe injury and/or property damage. - To help prevent this from occurring: exhaust and fresh air introduction must be provided to keep the air within the spray area free from accumulation of vapors.
- This equipment is NOT meant to be used for solvents or flammable products.

VAPORS:

- Can cause severe nausea, fainting, or poisoning.
- Help prevent personal injury/sickness by wearing a respirator or mask to prevent inhalation of vapors.
- Wear protective eyewear and clothing as required by coating manufacturer.

ELECTRICAL SHOCK:

- NEVER put any liquids in the sprayer bucket - it must be kept CLEAN and DRY!
- Keep electrical spray gun trigger and cord plug free from product build up, dirt, and other liquids. · Never immerse electrical parts in water or any other liquid.
- Always make sure that the sprayer is unplugged before taking it apart for cleaning (you can wipe the exterior of the sprayer with a damp cloth for cleaning after it is unplugged)
- ONLY use a 3-wire extension cord that is heavy enough to carry the current your product will draw and that has a 3-blade grounding plug and a 3-slot receptacle that will accept the plug on the product. Otherwise, this can cause loss of power or over heating (which is a hazard and can damage the pump).
- GROUNDING INSTRUCTIONS: This product must be used with a cord having a grounding wire with an appropriate grounding plug.
- An inline fuse has been added for safety. It is located inside the power switch box. The fuse is a 2 amp fuse.

Precision Pro Sprayers Return Policy

Thank you for choosing Precision Pro Sprayers for your sprayer needs. We understand that sometimes situations arise where a return is necessary, and we are here to make the process as smooth as possible. Please review our return policy below:

Return Period:

We offer a 15-day return policy from the date of purchase. If 15 days have gone by since your purchase, unfortunately, we can't offer you a refund or exchange.

Eligibility for Refund:

To be eligible for a full reimbursement, the sprayer must be in its original condition and packaging. Additionally, it must be in good working order when received by Precision Pro Sprayers.

Return Procedure:

Before returning the sprayer, please contact our customer service team at customer-service@precisionprosprayers.com to initiate the return process.

Provide pictures of the unit:

We require clear pictures of the sprayer to be sent to us prior to returning the product. This will help us assess the condition of the unit and expedite the return process.

Ensure Good Working Order:

The sprayer must be in good working order when received by Precision Pro Sprayers. Any damage or malfunction that occurs during the return shipping may affect eligibility for a full reimbursement.

Shipping the Product Back:

Once your return is authorized, you will receive instructions on where to send the sprayer. Please ensure that the product is securely packaged to prevent any damage during transit.

Refund Process:

Upon receiving the returned sprayer and verifying its condition, we will process your refund. Please allow a few business days for the refund to be reflected in your account.

Non-Refundable Items:

Please note that certain items are non-refundable, including any custom modifications or alterations made to the sprayer at the customer's request.

Contact Information:

If you have any questions about our return policy, please contact our customer service team at customer-service@precisionprosprayers.com.

Precision Pro Sprayers reserves the right to refuse returns that do not meet the above conditions or if the return is not initiated within the specified timeframe. We appreciate your understanding and cooperation.

Precision Pro Sprayers 30-Day Manufacturer's Warranty

Congratulations on your purchase of a Precision Pro Sprayer! We stand behind the quality and performance of our products, and to demonstrate our commitment to your satisfaction, we offer the following 30-day Manufacturer's Warranty:

Warranty Coverage:

Precision Pro Sprayers warrants that, for a period of 30 days from the date of purchase, your sprayer is free from defects in material and workmanship under normal use and service.

Mechanical Failure Coverage:

In the unlikely event of any mechanical failure occurring within the first 30 days from the date of purchase, Precision Pro Sprayers will, at its sole discretion, repair the unit at no additional cost to the consumer.

Qualification Criteria:

For the warranty to be valid, the consumer must adhere to the following criteria:

Rinsing Cycle Requirement:

The sprayer must have undergone a proper rinsing cycle after each use. Failure to follow this guideline may void the warranty.

Warranty Exclusions:

The warranty does not cover the following:

Damage resulting from misuse, abuse, neglect, or improper maintenance.

Unauthorized modifications or repairs by a third party.

Accidental damage, including but not limited to drops, spills, or any other external factors.

Claim Procedure:

To initiate a warranty claim, please follow these steps:

Contact our customer service team at warranty@precisionprosprayers.com to report the issue.

Provide proof of purchase and a detailed description of the mechanical failure.

If required, follow instructions for shipping the unit to our designated service center.

Repair Process:

Upon receiving the unit, Precision Pro Sprayers will assess the reported issue and, if within the covered period and meeting the warranty criteria, proceed with the necessary repairs at no additional cost to the consumer.

Limitation of Liability:

Precision Pro Sprayers' liability under this warranty is limited to the repair or replacement of the defective unit. We shall not be liable for any incidental or consequential damages.

Effective Date:

This Manufacturer's Warranty is effective from the date of purchase and is valid for 30 days thereafter.

Precision Pro Sprayers reserves the right to interpret and enforce this warranty at its sole discretion.

Thank you for choosing Precision Pro Sprayers. We appreciate your trust in our products and are confident in their reliability and performance.