

Safety Data Sheet

Issue Date: 14-Feb-2020 Revision Date: 11-Aug-2022 Version 3

1. IDENTIFICATION

Product identifier

Product Name RMR-86 Mold Stain & Mildew Stain Remover

Other means of identification

SDS # RMR-001

Recommended use of the chemical and restrictions on use

Recommended Use Mold stain and mildew stain remover.

Details of the supplier of the safety data sheet

Supplier Address

RMR Solutions 301 Appian Way Brighton, MI 48116 Ph: 866-822-8744 Fax: 810-227-5595

Website: rmrsolutions.com

Emergency telephone number

Emergency Telephone Chemtel 800-255-3924

2. HAZARDS IDENTIFICATION

Appearance Clear yellow liquid Physical state Liquid Odor Chlorine Bleach Classification

This SDS was created using the criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and is compliant with the Globally Harmonized System of Labeling and Classification of Chemicals (GHS).

| Skin corrosion/irritation | Category 2 |
|-----------------------------------|------------|
| Serious eye damage/eye irritation | Category 2 |

Signal Word Warning

Hazard statements

Causes skin irritation
Causes serious eye irritation

<u>Precautionary Statements - Prevention</u>

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Page 1 / 8

RMR-001 - RMR-86 Mold Stain & Mildew Stain Remover Revision Date: 11-Aug-2022

<u>Precautionary Statements - Response</u>

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of water and soap If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Other hazards

Very toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical name | CAS No | Weight-% |
|--------------------------------|-------------|----------|
| Sodium hypochlorite | 7681-52-9 | <5 |
| Proprietary buffer | Proprietary | 1 |
| Proprietary stabilizer | Proprietary | 0.5 |
| Proprietary alkalinity booster | Proprietary | <1 |
| Proprietary surfactant | Proprietary | .1 |

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST AID MEASURES

Description of first aid measures

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediate medical attention is required.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.

Inhalation Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician/poison center if individual's condition declines or if symptoms persist.

Ingestion Rinse mouth. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. Immediate medical attention is required.

Most important symptoms and effects, both acute and delayed

Symptoms Causes skin irritation. Causes serious eye irritation. May cause irritation to the mucous membranes and upper respiratory tract. May cause burns to mouth, esophagus and stomach. Swallowing large quantities may cause gastrointestinal tract irritation, nausea, vomiting, and diarrhea.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical, CO2 or water spray. Foam.

Unsuitable Extinguishing Media Not determined.

Page 2 / 8

RMR-001 - RMR-86 Mold Stain & Mildew Stain Remover Revision Date: 11-Aug-2022

Specific Hazards Arising from the Chemical

Combustion products may be toxic. Contacts with acids liberates toxic gas.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2).

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required. Keep unnecessary people away, isolate hazard area and deny entry. Remove all sources of ignition.

For Emergency Responders Contact with acids liberates toxic gas.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Soak up and contain spill with an

absorbent material.

Methods for Clean-Up Reclaim where possible. Sweep up absorbed material and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal protective equipment as required. Wash face, hands and any exposed skin thoroughly after handling. Avoid contact with skin, eyes or clothing. Wear appropriate personal protective equipment.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from incompatible materials, open flames, and high temperatures.

Incompatible Materials Strong oxidizing agents. Strong acids. Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|--------------------------------|------------------------------|--|------------------------------------|
| Proprietary alkalinity booster | Ceiling: 2 mg/m ³ | TWA: 2 mg/m³ (vacated) Ceiling: 2 mg/m³ | IDLH: 10 mg/m³ Ceiling: 2 mg/m³ |

Appropriate engineering controls

Engineering Controls Maintain eye wash fountain and quick-drench facilities in work area.

Page 3 / 8

RMR-001 - RMR-86 Mold Stain & Mildew Stain Remover Revision Date: 11-Aug-2022

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles). Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection Wear protective gloves and protective clothing. Reference Wiley's "Quick Selection Guide to Chemical Protective Clothing". Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection If necessary, wear a MSHA/NIOSH-approved respirator. Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance Clear yellow liquid Odor Chlorine Bleach Color Clear to yellow Odor Threshold Not determined

Property Values Remarks • Method pH 11.37

Melting point / freezing point -18 °C / -1 °F

Boiling point / boiling range 106 °C / 222 °F

Flash point Not determined

Evaporation Rate Not determined

Flammability (Solid, Gas) Liquid-Not applicable

Flammability Limit in Air

Upper flammability or Not determined Not

explosive limits

determined Lower flammability or

explosive limits

Vapor Pressure 65.38 (55°C)

Vapor Density Not determined

Relative Density Not determined

Water Solubility Soluble in water

Solubility in other solvents Not determined

Partition Coefficient Not determined

Autoignition temperature Not determined

Decomposition temperature Not determined

Kinematic viscosity Not determined

Dynamic Viscosity Not determined

Explosive Properties Not determined

Oxidizing Properties Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Page 4 / 8

RMR-001 - RMR-86 Mold Stain & Mildew Stain Remover Revision Date: 11-Aug-2022

Hazardous Polymerization Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to Avoid

Heat, sparks, flames. Incompatible Materials. Contact with acids liberates toxic gas.

Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

Hazardous decomposition products

Carbon monoxide. Carbon dioxide (CO2).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact Avoid contact with skin.

Inhalation May cause irritation if inhaled.

Ingestion Ingestion causes acute irritation and burns to the mucous membranes of the mouth, trachea, esophagus and stomach. May cause nausea, vomiting, stomach ache, and diarrhea.

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|----------------------------------|----------------------|--------------------------|-----------------|
| Sodium hypochlorite 7681-52-9 | = 8.91 g/kg (Rat) | > 20000 mg/kg (Rabbit) | - |
| Proprietary buffer | = 4090 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | - |
| Proprietary stabilizer | = 1960 mg/kg (Rat) | - | - |
| Proprietary alkalinity booster | = 325 mg/kg (Rat) | = 1350 mg/kg (Rabbit) | - |
| Proprietary surfactant | > 2000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | - |
| | | | |

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP. Group 3 IARC components are "not classifiable as human carcinogens".

| Chemical name | ACGIH | IARC | NTP | OSHA |
|----------------------------------|-------|---------|-----|------|
| Sodium hypochlorite 7681-52-9 | | Group 3 | | |

Legend

Numerical measures of toxicity Values exceed classification criteria.

Page 5 / 8

RMR-001 - RMR-86 Mold Stain & Mildew Stain Remover Revision Date: 11-Aug-2022

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Component Information

| Chemical name | Algae/aquatic plants | Fish | Crustacea |
|--------------------------------|----------------------|---|---|
| Proprietary buffer | | 0.03 - 0.19: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 0.05 - 0.771: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.06 - 0.11: 96 h Pimephales promelas mg/L LC50 flow-through 0.18 - 0.22: 96 h Oncorhynchus mykiss mg/L LC50 static 0.28 - 1: 96 h Lepomis macrochirus mg/L LC50 flow-through 0.4 - 0.8: 96 h Lepomis macrochirus mg/L LC50 static 4.5 - 7.6: 96 h Pimephales promelas mg/L LC50 static | 0.033 - 0.044: 48 h Daphnia magna mg/L EC50 Static |
| Proprietary buffer | | 310 - 1220: 96 h Pimephales promelas mg/L LC50 static 300: 96 h Lepomis macrochirus mg/L LC50 static | 265: 48 h Daphnia magna mg/L EC50 |
| Proprietary stabilizer | | 301 - 478: 96 h Lepomis macrochirus mg/L LC50 3185: 96 h Brachydanio rerio mg/L LC50 semi-static | |
| Proprietary alkalinity booster | | 45.4: 96 h Oncorhynchus mykiss mg/L LC50 static | |

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

| Chemical name | California Hazardous Waste Status | |
|--------------------------------|-----------------------------------|--|
| Proprietary alkalinity booster | Corrosive | |

Page 6 / 8

RMR-001 - RMR-86 Mold Stain & Mildew Stain Remover Revision Date: 11-Aug-2022

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

| Chemical name | | SCA TSCA entory Status | | EINE CS/E LI NCS | ENCS | IECSC | KECL | PICCS | AICS |
|--------------------------------|---|---------------------------|---|---------------------------|------|-------|------|-------|------|
| Sodium hypochlorite | Х | ACTIVE | Х | Х | × | х | Х | × | Х |
| Proprietary buffer | Х | ACTIVE | Х | Х | × | х | Х | × | Х |
| Proprietary stabilizer | Х | ACTIVE | Х | Х | × | х | Х | × | Х |
| Proprietary alkalinity booster | Х | ACTIVE | Х | Х | Х | х | Х | х | Х |
| Proprietary surfactant | Х | ACTIVE | Х | | | Х | Х | Х | |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) | |
|----------------------------------|--------------------------|----------------|---|--|
| Sodium hypochlorite 7681-52-9 | 100 lb | | RQ 100 lb final RQ RQ 45.4 kg final RQ | |
| Proprietary alkalinity booster | 1000 lb | | RQ 1000 lb final RQ RQ 454 kg final RQ | |

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21

and 40 CFR 122.42)

| Chemical name | CWA - Reportable Quantities | tants CWA - Priority | CWA - Hazardous Substances |
|---------------------|--------------------------------|----------------------|-------------------------------|
| Sodium hypochlorite | 100 lb | | X |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

Page 7 / 8

RMR-001 - RMR-86 Mold Stain & Mildew Stain Remover Revision Date: 11-Aug-2022

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|----------------------------------|------------|---------------|--------------|
| Sodium hypochlorite 7681-52-9 | × | × | × |
| Proprietary alkalinity booster | X | X | X |
| Proprietary surfactant | | X | X |

16. OTHER INFORMATION

NFPA Health Hazards 3 Flammability 0 HMIS Health Hazards 3 Instability

Flammability 0

Issue Date: 14-Feb-2020

Physical hazards 0 Special Hazards Not

determined

Personal Protection X

Revision Date: 11-Aug-2022 Revision Note: Regulatory update

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

